



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | | |
|---|--|--|---|
| (51) International Patent Classification ⁷ : E05G 1/14, G07D 11/00 | | A1 | (11) International Publication Number: WO 00/39424 (43) International Publication Date: 6 July 2000 (06.07.00) |
| <p>(21) International Application Number: PCT/SE99/02304</p> <p>(22) International Filing Date: 9 December 1999 (09.12.99)</p> <p>(30) Priority Data: 9804534-7 23 December 1998 (23.12.98) SE</p> <p>(71) Applicant (<i>for all designated States except US</i>): NYBOHOV DEVELOPMENT AB [SE/SE]; P.O. Box 47041, S-100 74 Stockholm (SE).</p> <p>(72) Inventor; and</p> <p>(75) Inventor/Applicant (<i>for US only</i>): LUNDBLAD, Leif [SE/SE]; Djurgårdsslätten 100, S-115 21 Stockholm (SE).</p> <p>(74) Agents: SUNDSTRÖM, Per et al.; Stenhamn Patentbyrå AB, P.O. Box 4630, S-116 91 Stockholm (SE).</p> | | <p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> <i>In English translation (filed in Swedish).</i></p> | |
| <p>(54) Title: A SAFE FOR VALUABLE DOCUMENTS SUCH AS BANKNOTES, CHEQUES ETC.</p> <p>(57) Abstract</p> <p>A safe for accomodating valuable documents includes one or more units (1-17), each of which is intended to accomodate several valuable documents and is equipped with destructive devices (112-172) for local destruction of valuable documents in respective units when an attempt to break into the safe (1) is made. Each of the destruction devices (e.g. 112) includes at least one container (31) disposed adjacent a valuable document wind-up drum (30). The container includes a peripheral, circular continuous recess or channel (311) intended for destructive material (33) and facing towards the exposed edges of valuable documents. The opening (3111, 3211) of the recess or channel (311, 321) is covered with a ring-shaped plastic or steel net. The recess contains dye capsules (33) and a ring-shaped fuse (3113, 3213) for activation of the dye when an attempt to break into the safe (1) is made.</p> | | | |
| | | | |

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

| | | | | | | | |
|----|--------------------------|----|---------------------------------------|----|---|----|--------------------------|
| AL | Albania | ES | Spain | LS | Lesotho | SI | Slovenia |
| AM | Armenia | FI | Finland | LT | Lithuania | SK | Slovakia |
| AT | Austria | FR | France | LU | Luxembourg | SN | Senegal |
| AU | Australia | GA | Gabon | LV | Latvia | SZ | Swaziland |
| AZ | Azerbaijan | GB | United Kingdom | MC | Monaco | TD | Chad |
| BA | Bosnia and Herzegovina | GE | Georgia | MD | Republic of Moldova | TG | Togo |
| BB | Barbados | GH | Ghana | MG | Madagascar | TJ | Tajikistan |
| BE | Belgium | GN | Guinea | MK | The former Yugoslav Republic of Macedonia | TM | Turkmenistan |
| BF | Burkina Faso | GR | Greece | ML | Mali | TR | Turkey |
| BG | Bulgaria | HU | Hungary | MN | Mongolia | TT | Trinidad and Tobago |
| BJ | Benin | IE | Ireland | MR | Mauritania | UA | Ukraine |
| BR | Brazil | IL | Israel | MW | Malawi | UG | Uganda |
| BY | Belarus | IS | Iceland | MX | Mexico | US | United States of America |
| CA | Canada | IT | Italy | NE | Niger | UZ | Uzbekistan |
| CF | Central African Republic | JP | Japan | NL | Netherlands | VN | Viet Nam |
| CG | Congo | KE | Kenya | NO | Norway | YU | Yugoslavia |
| CH | Switzerland | KG | Kyrgyzstan | NZ | New Zealand | ZW | Zimbabwe |
| CI | Côte d'Ivoire | KP | Democratic People's Republic of Korea | PL | Poland | | |
| CM | Cameroon | KR | Republic of Korea | PT | Portugal | | |
| CN | China | KZ | Kazakhstan | RO | Romania | | |
| CU | Cuba | LC | Saint Lucia | RU | Russian Federation | | |
| CZ | Czech Republic | LI | Liechtenstein | SD | Sudan | | |
| DE | Germany | LK | Sri Lanka | SE | Sweden | | |
| DK | Denmark | LR | Liberia | SG | Singapore | | |
| EE | Estonia | | | | | | |

**A SAFE FOR VALUABLE DOCUMENTS SUCH AS BANKNOTES,
CHEQUES, ETC.**

FIELD OF INVENTION

5

The present invention relates to safes for the safekeeping of valuable documents, such as banknotes, cheques, etc., and more specifically to safes that include one or more units that are each intended for a plurality of valuable documents 10 and equipped with destructive means for local destruction of valuable documents in respective units when an attempt to break into the safe is made.

SUMMARY OF THE INVENTION

15

In safes of the aforedescribed kind and constructed in accordance with the invention, each of the destructive devices includes at least one container which is mounted adjacent a winding-up drum that is intended for winding-up 20 valuable documents and which has extending peripherally in its longitudinal direction a circular, continuous recess or channel which faces towards the exposed edges of the valuable documents and which is intended to accommodate destructive material.

25

These and other characteristic features of an inventive safe will be apparent from the accompanying Claims.

BRIEF DESCRIPTION OF THE DRAWINGS

30

The invention will now be described in more detail with reference to the accompanying schematic drawings, in which

Fig. 1 illustrates an inventive safe;

35

Fig. 2 is a diagrammatic illustration of destructive devices included in the safe according to Fig. 1;

Fig. 3 illustrates one of a number of destructive devices included in the safe according to Fig. 1; and

5 Fig. 4 illustrates a modification of the destructive device according to Fig. 3.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

10 The safe 1 illustrated in Fig. 1 is intended for the safekeeping of valuable documents, such as banknotes, cheques, etc., and includes a plurality of units 11-17 which are each intended to accommodate a plurality of valuable documents. The safe as a whole is fitted with a so-called shell or outer casing protection means 101 which functions to 15 disclose/indicate when an attempt is made to break into the safe.

20 The majority of the aforesaid units each includes a destructive device 112-162 (see Fig. 2) that has an explosive or some other activating means, and a dyestuff or some other destructive substance (such as glue) for local destruction of valuable documents contained in respective units 11, 12, ... 16.

25 These destructive elements are activated from a processor unit 102, depending on whether or not respective units contain valuable documents at that moment or are empty.

30 Fig. 2 is a diagrammatic illustration illustrating the destructive devices 112-162, each of said devices comprising a dye-containing part 1121-1621 and an explosive part 1122-1622. Extending from the processor unit 102 controlling the destructive devices is a multi-conductor cable 1022 through which ignition impulses are set to respective explosive parts 35 in response to damage to the shell protection means 101 and also depending on whether respective units 11-16 contain banknotes or are empty. Information relating to presence of

valuable documents in said units is delivered continuously to an input 1021 on the processor unit 102.

Fig. 3 illustrates a destructive device 112 which comprises two device parts in the form of container means 31, 32, disposed on two mutually opposite sides of a drum 30 onto which valuable documents are wound. Each container means 31, 32 includes a peripheral continuous recess or channel 311, 321 which accommodates destructive material 33 and is circular in its longitudinal direction and faces towards the exposed edges of the valuable documents. The valuable documents 35, e.g. banknotes, are encased and wound up between plastic belts. Fixedly mounted on respective ends of the drum are end-walls 301, 302 which are provided with a plurality of holes in a peripheral ring corresponding to the openings of the recesses or channels 311, 321.

As banknotes are fed in or out, the drum 30 rotates with its end-walls 301, 302, whereas the containers 31, 32 are affixed to walls 103, 104 in the safe 1 and are thus stationary.

The opening 3111 and 3211 of respective recesses or channels 311, 321, facing the edges of the valuable documents, is covered with a ring-shaped net 3112 and 3212 respectively. The recesses include a number of capsules containing a destructive material 33 in the form of a dye, and a ring-shaped detonation fuse 3113 and 3213 respectively for activation of the destructive material in the event of an attempt to break into the safe 1.

Fig. 4 illustrates a further development of the invention in which each recess or channel, e.g. the recess 311, is divided into separate chambers 3114, 3115 each housing a capsule that contains destructive material 33, and also housing a ring-shaped detonation fuse 31131 and 31132 respectively. The recess or channels 321 also has two separate chambers 3214, 3215 containing dye capsules and detonation fuses 32131 and 32132 respectively.

CLAIMS

1. A safe (1) for the safekeeping of valuable documents such as banknotes, cheques, etc., and including one or more units (11-17) each intended to accommodate a plurality of valuable documents and each being equipped with destructive devices (112-172) for local destruction of valuable documents in respective units when an attempt is made to break into the safe (1), **characterised** in that each (e.g. 112) of the destruction devices (112-172) includes at least one container (31), which is disposed adjacent to a drum (30) for winding-up of valuable documents, said container being provided with a peripheral, continuous and generally circular recess or channel (311) intended for destructive material (33) and facing towards the exposed edges of valuable documents.
2. A safe according to Claim 1, **characterised** in that each (e.g. 112) of the destructive devices (112-172) includes two containers (31, 32) on mutually opposite sides of the valuable document wind-up drum (30), wherein each of said containers includes a peripheral, circular and continuous recess or channel (311, 321), wherein the continuous recess or channel (311, 321) is open towards exposed edges of the valuable documents.
3. A safe according to Claim 2, **characterised** in that the opening (3111, 3211) of respective recess or channel (3111, 3212) facing exposed edges of said valuable documents is covered with a ring-shaped net structure (3112, 3212); and in that the respective recess or channel (311, 321) includes capsules containing destructive material (33) in the form of dye, and also a ring-shaped detonation fuse (3113, 3213) for activating the destructive material (33) when an attempt to break into the safe (1) is made.

4. A safe according to Claim 3, **characterised** in that said recess or channel (311, 321) is divided into two mutually separate chambers (3114, 3115; 3214, 3215) each of which
5 contains a destructive material container and a detonating fuse (31131, 31132; 32131, 32132) for activation of the destructive material in respective chambers.

Fig 1





Fig 2



(3214)(3215)




Fig 4

(32131)(32132)




Fig. 3

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/02304

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: E05G 1/14, G07D 11/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: E05G, G07D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|--|-----------------------|
| A | US 4712489 A (J.R. LEVAVASSEUR), 15 December 1987 (15.12.87) -- | 1-4 |
| A | SE 508554 C2 (K. LINDSKOG ET AL), 12 October 1998 (12.10.98) -- | 1-4 |
| A | US 2981492 A (L.G. SIMJIAN), 25 April 1961 (25.04.61) -- | 1-4 |
| A | US 4337864 A (C.M. MCLEAN), 6 June 1982 (06.06.82) -- | 1-4 |

 Further documents are listed in the continuation of Box C. See patent family annex.

- * Special categories of cited documents:
- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed
- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

10 March 2000

Date of mailing of the international search report

04-05-2000

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. + 46 8 666 02 86

Authorized officer

Christer Wendenius / MR

Telephone No. + 46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/02304

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|---|-----------------------|
| A | US 5406896 A (C. JACOBSON), 18 April 1995 (18.04.95) -- | 1-4 |
| A | US 4513880 A (Y. MORI ET AL), 30 April 1985 (30.04.85) -- | 1-4 |
| A | GB 2199890 A (TIMETILL SECURITY LIMITED), 20 July 1988 (20.07.88) -- ----- | 1-4 |

INTERNATIONAL SEARCH REPORT

Information on patent family members

02/12/99

International application No.

PCT/SE 99/02304

| Patent document cited in search report | Publication date | Patent family member(s) | | Publication date |
|--|------------------|-------------------------|-------|------------------|
| US 4712489 A | 15/12/87 | AT 42794 T | | 15/05/89 |
| | | AU 580824 B | | 02/02/89 |
| | | AU 5131185 A | | 19/06/86 |
| | | CA 1267041 A | | 27/03/90 |
| | | EP 0188155 A,B | | 23/07/86 |
| | | SE 0188155 T3 | | |
| | | ES 549826 A | | 01/12/86 |
| | | FR 2574845 A,B | | 20/06/86 |
| | | JP 1972036 C | | 27/09/95 |
| | | JP 6104397 B | | 21/12/94 |
| | | JP 61199998 A | | 04/09/86 |
| | | PT 81677 A,B | | 02/01/86 |
| ----- | ----- | ----- | ----- | ----- |
| SE 508554 C2 | 12/10/98 | AU 3565097 A | | 02/02/98 |
| | | CA 2259627 A | | 15/01/98 |
| | | CZ 9804317 A | | 16/06/99 |
| | | EP 0910719 A | | 28/04/99 |
| | | PL 331004 A | | 21/06/99 |
| | | SE 9602732 A | | 11/01/98 |
| | | WO 9801646 A | | 15/01/98 |
| ----- | ----- | ----- | ----- | ----- |
| US 2981492 A | 25/04/61 | NONE | | |
| ----- | ----- | ----- | ----- | ----- |
| US 4337864 A | 06/06/82 | AU 539660 B | | 11/10/84 |
| | | AU 549951 B | | 20/02/86 |
| | | AU 3097884 A | | 15/11/84 |
| | | AU 6599581 A | | 27/08/81 |
| | | BE 887613 A | | 15/06/81 |
| | | CA 1171036 A | | 17/07/84 |
| | | DE 3042566 A,C | | 27/08/81 |
| | | DK 454980 A | | 23/08/81 |
| | | FI 803426 A | | 23/08/81 |
| | | FR 2476618 A,B | | 28/08/81 |
| | | GB 2071059 A,B | | 16/09/81 |
| | | GB 2134493 A,B | | 15/08/84 |
| | | JP 56123065 A | | 26/09/81 |
| | | NL 8100822 A | | 16/09/81 |
| | | NO 810592 A | | 24/08/81 |
| | | NZ 195451 A | | 09/11/84 |
| | | NZ 209017 A | | 05/12/86 |
| | | SE 8008286 A | | 23/08/81 |
| ----- | ----- | ----- | ----- | ----- |
| US 5406896 A | 18/04/95 | AT 101682 T | | 15/03/94 |
| | | DE 68913210 D,T | | 19/05/94 |
| | | EP 0446270 A,B | | 18/09/91 |
| | | ES 2051007 T | | 01/06/94 |
| | | SE 464926 B,C | | 01/07/91 |
| | | SE 8804397 A | | 06/06/90 |
| | | WO 9006414 A | | 14/06/90 |
| ----- | ----- | ----- | ----- | ----- |

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

02/12/99

PCT/SE 99/02304

| Patent document cited in search report | Publication date | Patent family member(s) | | Publication date |
|--|------------------|-------------------------|-------|------------------|
| US 4513880 A | 30/04/85 | GB 2110188 | A,B | 15/06/83 |
| | | IT 1152037 | B | 24/12/86 |
| | | IT 8222940 | D | 00/00/00 |
| | | JP 1369252 | C | 25/03/87 |
| | | JP 58036852 | A | 03/03/83 |
| | | JP 61039264 | B | 03/09/86 |
| ----- | ----- | ----- | NONE | ----- |
| ----- | ----- | ----- | ----- | ----- |